



BORN **BORJ**
DECOR

AUGUST 2024



**Welcome To Our
World of Imagination**



POLYURETHANE
DECORATIVE MOLDING



CORNICE



CARVING CORNICE



Specification of Polyurethane Decorative Crown Molding

Product	Carving Cornice
Model Name	BB-CC 01
Material	Polyurethane (PU)
Color	White
Dimension	Depth:55mm × Height:150mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Egg And Dart Cornice For Ceiling

Product	Carving Cornice
Model Name	BB-CC 02
Material	Polyurethane (PU)
Color	White
Dimension	Depth:55mm × Height:55mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Egg And Dart Cornice For Ceiling



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Ceiling Cornice Crown Molding

Product	Carving Cornice
Model Name	BB-CC 05
Material	Polyurethane (PU)
Color	White
Dimension	Depth:105mm × Height:130mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Ceiling Cornice Crown Molding





Specification of Polyurethane Victorian Classic Crown Moulding

Product	Carving Cornice
Model Name	BB-CC 06
Material	Polyurethane (PU)
Color	White
Dimension	Depth:145mm × Height:170mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Victorian Classic Crown Moulding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Ornamental Beaded Moulding For Ceiling

Product	Carving Cornice
Model Name	BB-CC 10
Material	Polyurethane (PU)
Color	White
Dimension	Depth:120mm × Height:150mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Beaded Moulding For Ceiling




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Simple Crown Molding

Product	Plain Cornice
Model Name	BB-CC 13
Material	Polyurethane (PU)
Color	White
Dimension	Depth:150mm × Height:150mm × Length:2000mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Simple Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Crown Molding

Product	Carving Cornice
Model Name	BB-CC 14
Material	Polyurethane (PU)
Color	White
Dimension	Depth:150mm × Height:150mm × Length:2000mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





NEW





Specification of Polyurethane Decorative Crown Molding

Product	Carving Cornice
Model Name	BB-CC 25
Material	Polyurethane (PU)
Color	White
Dimension	Depth:150mm × Height:155mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Crown Molding

Product	Carving Cornice
Model Name	BB-CC 26
Material	Polyurethane (PU)
Color	White
Dimension	Depth:130mm × Height:125mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Crown Molding

Product	Carving Cornice
Model Name	BB-CC 29
Material	Polyurethane (PU)
Color	White
Dimension	Depth:115mm × Height:115mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Crown Molding

Product	Carving Cornice
Model Name	BB-CC 33
Material	Polyurethane (PU)
Color	White
Dimension	Depth:160mm × Height:160mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Crown Molding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Egg And Dart Trim Molding

Product	Carving Cornice
Model Name	BB-CC 34
Material	Polyurethane (PU)
Color	White
Dimension	Depth:75mm × Height:75mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Egg And Dart Trim Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Dentil Decorative Cornice Moulding

Product	Carving Cornice
Model Name	BB-CC 35
Material	Polyurethane (PU)
Color	White
Dimension	Depth:110mm × Height:120mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Dentil Decorative Cornice Moulding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Dentil Decorative Cornice Moulding

Product	Carving Cornice
Model Name	BB-CC 36
Material	Polyurethane (PU)
Color	White
Dimension	Depth:85mm × Height:85mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Dentil Decorative Cornice Moulding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Rose Cornice Molding

Product	Carving Cornice
Model Name	BB-CC 37
Material	Polyurethane (PU)
Color	White
Dimension	Depth:80mm × Height:80mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Rose Cornice Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Ornamental Beaded Moulding For Ceiling

Product	Carving Cornice
Model Name	BB-CC 38
Material	Polyurethane (PU)
Color	White
Dimension	Depth:130mm × Height:140mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Beaded Moulding For Ceiling



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Floral Cornice Mouldings

Product	Carving Cornice
Model Name	BB-CC 39
Material	Polyurethane (PU)
Color	White
Dimension	Depth:55mm × Height:110mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Floral Cornice Mouldings




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Egg And Dart Molding

Product	Carving Cornice
Model Name	BB-CC 40
Material	Polyurethane (PU)
Color	White
Dimension	Depth:90mm × Height:95mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Egg And Dart Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Dentil Architecture Crown Moldings

Product	Carving Cornice
Model Name	BB-CC 41
Material	Polyurethane (PU)
Color	White
Dimension	Depth:85mm × Height:85mm × Length:2240mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Dentil Architecture Crown Moldings



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Dentil Crown For Kitchen


Product	Carving Cornice
Model Name	BB-CC 42
Material	Polyurethane (PU)
Color	White
Dimension	Depth:85mm × Height:85mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Dentil Crown For Kitchen





Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Dentil Decorative Cornice Moulding

Product	Carving Cornice
Model Name	BB-CC 43
Material	Polyurethane (PU)
Color	White
Dimension	Depth:95mm × Height:110mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Dentil Decorative Cornice Moulding



Hand Painted

Antique

Faux Wood

Faux Stone





↔ 2180 mm



Specification of Polyurethane Decorative Crown Molding


Product	Carving Cornice
Model Name	BB-CC 44
Material	Polyurethane (PU)
Color	White
Dimension	Depth:155mm × Height:145mm × Length:2180mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Ornamental Beaded Moulding For Ceiling

Product	Carving Cornice
Model Name	BB-CC 45
Material	Polyurethane (PU)
Color	White
Dimension	Depth:160mm × Height:170mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Beaded Moulding For Ceiling



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Ceiling Cornice Crown Molding

Product	Carving Cornice
Model Name	BB-CC 47
Material	Polyurethane (PU)
Color	White
Dimension	Depth:105mm × Height:105mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Ceiling Cornice Crown Molding



Hand Painted

Antique

Faux Wood


Faux Stone





PLAIN CORNICE





Specification of Polyurethane Simple Kitchen Molding

Product	Plain Cornice
Model Name	BB-PC 04
Material	Polyurethane (PU)
Color	White
Dimension	Depth:110mm × Height:115mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Simple Kitchen Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Contemporary Bedroom Crown Molding

Product	Plain Cornice
Model Name	BB-PC 11
Material	Polyurethane (PU)
Color	White
Dimension	Depth:160mm × Height:100mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Contemporary Bedroom Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Simple Crown Molding

Product	Plain Cornice
Model Name	BB-PC 12
Material	Polyurethane (PU)
Color	White
Dimension	Depth:120mm × Height:120mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Simple Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Contemporary Crown Molding

Product	Plain Cornice
Model Name	BB-PC 13
Material	Polyurethane (PU)
Color	White
Dimension	Depth:122mm × Height:155mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Contemporary Crown Molding



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Simple Molding

Product	Plain Cornice
Model Name	BB-PC 14
Material	Polyurethane (PU)
Color	White
Dimension	Depth:155mm × Height:45mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Simple Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Cornice Molding

Product	Plain Cornice
Model Name	BB-PC 16
Material	Polyurethane (PU)
Color	White
Dimension	Depth:50mm × Height:75mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Specification of Polyurethane Cornice Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Smooth Crown Molding

Product	Plain Cornice
Model Name	BB-PC 17
Material	Polyurethane (PU)
Color	White
Dimension	Depth:60mm × Height:60mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Smooth Crown Molding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Smooth Crown Molding

Product	Plain Cornice
Model Name	BB-PC 18
Material	Polyurethane (PU)
Color	White
Dimension	Depth:160mm × Height:120mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Smooth Crown Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Contemporary Bedroom Crown Molding


Product	Plain Cornice
Model Name	BB-PC 19
Material	Polyurethane (PU)
Color	White
Dimension	Depth:80mm × Height:130mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Contemporary Bedroom Crown Molding





Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Simple Cornice Molding

Product	Plain Cornice
Model Name	BB-PC 20
Material	Polyurethane (PU)
Color	White
Dimension	Depth:260mm × Height:200mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Simple Cornice Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Smooth Crown Molding

Product	Plain Cornice
Model Name	BB-PC 21
Material	Polyurethane (PU)
Color	White
Dimension	Depth:75mm × Height:75mm × Length:2400mm
Application	Interior and Exterior


PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Smooth Crown Molding





Specification of Polyurethane Smooth Crown Molding

Product	Plain Cornice
Model Name	BB-PC 22
Material	Polyurethane (PU)
Color	White
Dimension	Depth:100mm × Height:75mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Smooth Crown Molding




CHAIR RAIL & CORNER









CARVING
CHAIR RAILS



Specification of Polyurethane Decorative Chair Rail And Panel Molding


Product	Carving Chair Rails
Model Name	BB-CR 01
Material	Polyurethane (PU)
Color	White
Dimension	Height:24mm × Depth:13mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail And Panel Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Chair Rail And Panel Molding


Product	Carving Chair Rails
Model Name	BB-CR 02
Material	Polyurethane (PU)
Color	White
Dimension	Height:24mm × Depth:13mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail And Panel Molding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Chair Rail And Panel Molding

Product	Carving Chair Rails
Model Name	BB-CR 03
Material	Polyurethane (PU)
Color	White
Dimension	Height:40mm × Depth:18mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail And Panel Molding





Specification of Polyurethane Decorative Panel Corner Architectural Trim

Product	Carving Chair Rails
Model Name	BB-CR 03A
Material	Polyurethane (PU)
Color	White
Dimension	Width:256mm × Height:291mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Panel Corner Architectural Trim



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative The frame Architectural

Product	Carving Chair Rails
Model Name	BB-CR 03AD
Material	Polyurethane (PU)
Color	White
Dimension	Width:510mm × Height:510mm x Depth:32mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative The frame Architectural



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Ornamental Frieze Molding

Product	Carving Chair Rails
Model Name	BB-CR 08
Material	Polyurethane (PU)
Color	White
Dimension	Height:124mm × Depth:14mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Frieze Molding



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Flexible Ornamental Frieze Molding

Product	Flexi Product
Model Name	BB-CR 08/F
Color	White
Dimension	Height:124mm × Depth:14mm × Length:2400mm
Application	Interior and Exterior

Features of Flexible Product

- Fireproof. Can withstand extreme heat, through the SGS flame test
- Bendable. Flexible curved in any angle for curved architectural needs
- High toughness. Can take any curve without distortion
- Anti-impact. Dense and flexible, no damage
- Recyclable. Materials can be recycled
- Easy to install. Mostly the same installation way as the general decor ornaments
- Easy to repair. Seamless construction, smooth cross-section and easy to fill





↔ 2400 mm



Specification of Polyurethane Decorative Chair Rail White Wall Molding

Product	Carving Chair Rails
Model Name	BB-CR 17
Material	Polyurethane (PU)
Color	White
Dimension	Height:110mm × Depth:23mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail White Wall Molding




Hand Painted

Antique


Faux Wood

Faux Stone





↔ 2400 mm



Specification of Polyurethane Chair Rail Dentil Trim Molding

Product	Carving Chair Rails
Model Name	BB-CR 21
Material	Polyurethane (PU)
Color	White
Dimension	Height:80mm × Depth:28mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Chair Rail Dentil Trim Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Chair Rail Moulding

Product	Carving Chair Rails
Model Name	BB-CR 22
Material	Polyurethane (PU)
Color	White
Dimension	Height:140mm × Depth:40mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail Moulding



Hand Painted

Antique


Faux Wood

Faux Stone





↔ 2400 mm



Specification of Polyurethane Decorative Chair Rail Molding

Product	Carving Chair Rails
Model Name	BB-CR 23
Material	Polyurethane (PU)
Color	White
Dimension	Height:100mm × Depth:21mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Decorative Frieze Rope Trim Molding

Product	Carving Chair Rails
Model Name	BB-CR 25
Material	Polyurethane (PU)
Color	White
Dimension	Height:75mm × Depth:15mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Decorative Frieze Rope Trim Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Decorative Frieze Rope Trim Molding


Product	Carving Chair Rails
Model Name	BB-CR 25A
Material	Polyurethane (PU)
Color	White
Dimension	Width:78mm × Height:78mm × Depth:30mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Decorative Frieze Rope Trim Molding




Hand Painted

Antique

Faux Wood


Faux Stone





Model Name: BB-CR 25

Dimension: Height:75 × Depth:15 × Length:2450 mm



Specification of Polyurethane Decorative Chair Rail Molding

Product	Carving Chair Rails
Model Name	BB-CR 26
Material	Polyurethane (PU)
Color	White
Dimension	Height:150mm × Depth:22mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Chair Rail Molding

Product	Carving Chair Rails
Model Name	BB-CR 27W
Material	Polyurethane (PU)
Color	White
Dimension	Height:135mm × Depth:47mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Chair Rail Molding




Hand Painted

Antique

Faux Wood


Faux Stone





P LAIN

C HAIR R AILS



Specification of Polyurethane Small Wall Molding Frames

Product	Plain Chair Rails
Model Name	BB-PR 01
Material	Polyurethane (PU)
Color	White
Dimension	Height:24mm × Depth:13mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Small Wall Molding Frames



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polystyrene Small Wall Molding Frames

Product	Plain Chair Rails
Model Name	BB-PS 01
Material	High Density Polystyrene (HDPS)
Color	White
Dimension	Height:25mm × Depth:15mm × Length:2500mm
Application	Interior and Exterior

HDPS Material

The density of High Density Polystyrene materials is up to 400KG/M³, lighter than wood, but same hardness and touch feeling.

Finish of Polystyrene(HDPS) Small Wall Molding Frames



Hand Painted

Antique

Faux Wood

Faux Stone



Specification of Polyurethane Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 01A
Material	Polyurethane (PU)
Color	White
Dimension	Width:90mm × Height:90mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Molding Panels Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 01C
Material	Polyurethane (PU)
Color	White
Dimension	Width:130mm × Height:130mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Molding Panels Corner




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 01D
Material	Polyurethane (PU)
Color	White
Dimension	Width:160mm × Height:160mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 01G
Material	Polyurethane (PU)
Color	White
Dimension	Width:210mm × Height:210mm× Depth:24mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Molding Corner


Product	Plain Chair Rails
Model Name	BB-PR 01R
Material	Polyurethane (PU)
Color	White
Dimension	Width:90mm × Height:50mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Molding Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Molding Corner


Product	Plain Chair Rails
Model Name	BB-PR 01L
Material	Polyurethane (PU)
Color	White
Dimension	Width:90mm × Height:50mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Molding Corner




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Modular Panel

Product	Plain Chair Rails
Model Name	BB-PR 01T
Material	Polyurethane (PU)
Color	White
Dimension	Width:550mm × Height:335mm × Depth:15mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Pierced Moulding Trim



Hand Painted



Antique





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 01V
Material	Polyurethane (PU)
Color	White
Dimension	Width:145mm × Height:145mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted



Antique




Faux Wood



Faux Stone





Specification of Polyurethane Decorative Wall Molding


Product	Plain Chair Rails
Model Name	BB-PR 01Z-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:195mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding


Product	Plain Chair Rails
Model Name	BB-PR 01Z-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:195mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Small Plain Chair Rails On Walls

Product	Plain Chair Rails
Model Name	BB-PR 02
Material	Polyurethane (PU)
Color	White
Dimension	Height:40mm × Depth:19mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Small Plain Chair Rails On Walls





Specification of Polystyrene Wall Molding Frames

Product	Plain Chair Rails
Model Name	BB-PS 02
Material	High Density Polystyrene (HDPS)
Color	White
Dimension	Height:40mm × Depth:20mm × Length:2500mm
Application	Interior and Exterior

HDPS Material

The density of High Density Polystyrene materials is up to 400KG/M³, lighter than wood, but same hardness and touch feeling.

Finish of Polystyrene(HDPS) Wall Molding Frames





Specification of Polyurethane Decorative Center Molding Corner

Product	Plain Chair Rails
Model Name	BB-PR 02B
Material	Polyurethane (PU)
Color	White
Dimension	Width:260mm × Height:130mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Center Molding Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Architectural Plain Panel Molding Corner

Product	Plain Chair Rails
Model Name	BB-PR 02D
Material	Polyurethane (PU)
Color	White
Dimension	Width:170mm × Height:170mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Architectural Plain Panel Molding Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Architectural Plain Panel Molding Corner


Product	Plain Chair Rails
Model Name	BB-PR 02C
Material	Polyurethane (PU)
Color	White
Dimension	Width:200mm × Height:200mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Architectural Plain Panel Molding Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 02E
Material	Polyurethane (PU)
Color	White
Dimension	Width:260mm × Height:260mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials. Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Molding Panels Corner




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Center Molding

Product	Plain Chair Rails
Model Name	BB-PR 02H
Material	Polyurethane (PU)
Color	White
Dimension	Width:170mm × Height:95mm × Depth:30mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Center Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Molding Corner

Product	Plain Chair Rails
Model Name	BB-PR 02R
Material	Polyurethane (PU)
Color	White
Dimension	Width:120mm × Height:67mm × Depth:27mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Molding Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Molding Corner

Product	Plain Chair Rails
Model Name	BB-PR 02L
Material	Polyurethane (PU)
Color	White
Dimension	Width:120mm × Height:67mm × Depth:27mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Molding Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 02M-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:245mm × Height:360mm× Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 02M-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:245mm × Height:360mm× Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 02N
Material	Polyurethane (PU)
Color	White
Dimension	Width:250mm × Height:250mm× Depth:30mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 02S
Material	Polyurethane (PU)
Color	White
Dimension	Width:220mm × Height:220mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 02V
Material	Polyurethane (PU)
Color	White
Dimension	Width:215mm × Height:215mm× Depth:30mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 02W
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:300mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 02X
Material	Polyurethane (PU)
Color	White
Dimension	Width:240mm × Height:240mm× Depth:35mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner




Hand Painted

Antique

Faux Wood

Faux Stone





NEW

Specification of Polyurethane Small Wall Molding Frames


Product	Plain Chair Rails
Model Name	BB-PR 03
Material	Polyurethane (PU)
Color	White
Dimension	Height:22mm × Depth:11mm × Length:2420mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Small Wall Molding Frames



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 03A
Material	Polyurethane (PU)
Color	White
Dimension	Width:160mm × Height:200mm× Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner




Hand Painted

Antique

Faux Wood

Faux Stone





NEW

Specification of Polyurethane Chair Rail With Picture Frame

Product	Plain Chair Rails
Model Name	BB-PR 04
Material	Polyurethane (PU)
Color	White
Dimension	Height:40mm × Depth:20mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Chair Rail With Picture Frame



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 04G
Material	Polyurethane (PU)
Color	White
Dimension	Width:350mm × Height:330mm× Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 04M
Material	Polyurethane (PU)
Color	White
Dimension	Width:320mm × Height:320mm× Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner

Product	Plain Chair Rails
Model Name	BB-PR 04N
Material	Polyurethane (PU)
Color	White
Dimension	Width:180mm × Height:180mm× Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 04W
Material	Polyurethane (PU)
Color	White
Dimension	Width:260mm × Height:260mm× Depth:19mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner




Hand Painted

Antique

Faux Wood

Faux Stone





NEW

Specification of Polyurethane Small Contemporary Chair Rail

Product	Plain Chair Rails
Model Name	BB-PR 08
Material	Polyurethane (PU)
Color	White
Dimension	Height:53mm × Depth:20mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Small Contemporary Chair Rail



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Molding Panels Corner


Product	Plain Chair Rails
Model Name	BB-PR 08A
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:300mm× Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Molding Panels Corner




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Wall Chair Rail Molding

Product	Plain Chair Rails
Model Name	BB-PR 05
Material	Polyurethane (PU)
Color	White
Dimension	Height:61mm × Depth:25mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Chair Rail Molding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Dining Room Wall Panel Molding

Product	Plain Chair Rails
Model Name	BB-PR 07
Material	Polyurethane (PU)
Color	White
Dimension	Height:80mm × Depth:20mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Dining Room Wall Panel Molding



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Interior Window And Door Trim

Product	Plain Chair Rails
Model Name	BB-PR 06
Material	Polyurethane (PU)
Color	White
Dimension	Height:92mm × Depth:33mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Interior Window And Door Trim



Hand Painted



Antique



Faux Wood



Faux Stone





Model Name: BB-PR 06

Dimension: Height:92 × Depth:33 × Length:2400 mm



Specification of Polyurethane Decorative Wall Chair Rail Molding


Product	Plain Chair Rails
Model Name	BB-PR 16
Material	Polyurethane (PU)
Color	White
Dimension	Depth:50mm × Height:155mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Specification of Polyurethane Decorative Wall Chair Rail Molding




Hand Painted

Antique

Faux Wood


Faux Stone







↔ 2400 mm



Specification of Polystyrene Modern Wall Molding Frames


Product	Plain Chair Rails
Model Name	BB-PS 202
Material	Polystyrene
Color	White
Dimension	Height:20mm × Depth:10mm × Length:2400mm
Application	Interior and Exterior

PS Material

The density of High Density Polystyrene materials is up to 200KG/M³, lighter than wood, but same hardness and touch feeling.



BASEBOARD



NEW

Specification of Polyurethane Simple Baseboard Molding


Product	Baseboard
Model Name	BB-BR 01
Material	Polyurethane (PU)
Color	White
Dimension	Depth:15mm × Height:100mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Simple Baseboard Molding




Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Simple Baseboard Molding

Product	Baseboard
Model Name	BB-BR 02
Material	Polyurethane (PU)
Color	White
Dimension	Depth:15mm × Height:120mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Simple Baseboard Molding



Hand Painted

Antique

Faux Wood

Faux Stone





NEW

Specification of Polyurethane Modern Baseboard Molding

Product	Baseboard
Model Name	BB-BR 03
Material	Polyurethane (PU)
Color	White
Dimension	Depth:16mm × Height:142mm × Length:2450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Modern Baseboard Molding



Hand Painted

Antique

Faux Wood

Faux Stone





NEW

Specification of Polyurethane Modern Baseboard Molding


Product	Baseboard
Model Name	BB-BR 04
Material	Polyurethane (PU)
Color	White
Dimension	Depth:20mm × Height:160mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Modern Baseboard Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Large Baseboard Molding

Product	Baseboard
Model Name	BB-BR 26W
Material	Polyurethane (PU)
Color	White
Dimension	Depth:24mm × Height:148mm × Length:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Large Baseboard Molding



Hand Painted

Antique

Faux Wood

Faux Stone





CEILING DECOR



CEILING MEDALLIONS





Specification of Polyurethane Ceiling Ornaments Medallion

Product	Ceiling Medallions
Model Name	BB-M 08
Material	Polyurethane (PU)
Color	White
Outer Diameter	Ø 690mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ceiling Ornaments Medallion



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Victorian Vintage Ceiling Medallions

Product	Ceiling Medallions
Model Name	BB-M 12
Material	Polyurethane (PU)
Color	White
Outer Diameter	Ø 770mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Victorian Vintage Ceiling Medallions



Hand Painted



Antique




Faux Wood



Faux Stone





Specification of Polyurethane Floral Ceiling Art Frame

Product	Ceiling Medallions
Model Name	BB-M 18
Material	Polyurethane (PU)
Color	White
Dimension	Width:500mm × Height:500mm × Depth:20mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Floral Ceiling Art Frame



Hand Painted



Antique






Faux Wood




Faux Stone






5×3=15 Pieces



6×3=18 Pieces

Model Name: BB-M 18



Specification of Polyurethane Octagonal Ceiling Art Frame

Product	Ceiling Medallions
Model Name	BB-M 40
Material	Polyurethane (PU)
Color	White
Dimension	Width:400mm × Height:400mm × Depth:20mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials. Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Octagonal Ceiling Art Frame




Hand Painted

Antique

Faux Wood

Faux Stone







Dimension: Width:400 mm
Height:400 mm
Depth:20 mm



Dimension: Width:380 mm
Height:380 mm
Depth:20 mm



6×4=24 Pieces



6×4=24 Pieces

Model Name: BB-M 40



Specification of Decorative Polyurethane Rose Ceiling Medallion

Product	Ceiling Medallions
Model Name	BB-M 21
Material	Polyurethane (PU)
Color	White
Outer Diameter	Ø 610mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials. Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Decorative Polyurethane Rose Ceiling Medallion



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Oval Ceiling Medallions

Product	Ceiling Medallions
Model Name	BB-M 22
Material	Polyurethane (PU)
Color	White
Dimension	Width:460mm × Height:340mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Oval Ceiling Medallions



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ceiling Medallions

Product	Ceiling Medallions
Model Name	BB-M 23
Material	Polyurethane (PU)
Color	White
Dimension	Ø 377mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M³, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials. Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ceiling Medallions



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ceiling Medallions

Product	Ceiling Medallions
Model Name	BB-M 24
Material	Polyurethane (PU)
Color	White
Dimension	Ø 215mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ceiling Medallions



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Ceiling Medallions

Product	Ceiling Medallions
Model Name	BB-M 25
Material	Polyurethane (PU)
Color	White
Dimension	Ø 250mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ceiling Medallions



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Ceiling Medallions

Product	Ceiling Medallions
Model Name	BB-M 28
Material	Polyurethane (PU)
Color	White
Dimension	Ø 280mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ceiling Medallions




Hand Painted

Antique


Faux Wood

Faux Stone





Model Name: SET = M 28 - OR 61- OR 63
Dimension: Width:1100 × Height:1100 mm



Model Name: BB-OR 63
Dimension: W:400 × H:390 mm



Model Name: BB-OR 61
Dimension: W:235 × H:400 mm



Model Name: BB-M 28
Dimension: Ø280 mm



CEILIN TILES



Specification of Polyurethane Decorative Suspended Ceiling Tiles

Product	Ceiling Tiles
Model Name	BB-T 03
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:600mm × Depth:80mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Suspended Ceiling Tiles



Hand Painted

Antique

Faux Wood

Faux Stone





RELIEF WALL
PANELS



Specification of Pierced Decorative House Trim Molding

Product	Relief Wall Panels
Model Name	BB-RP 07
Material	Polyurethane (PU)
Color	White
Dimension	Width:2440mm × Height:101mm × Depth:7mm
Application	Interior and exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Pierced Decorative House Trim Molding



Hand Painted



Antique





W ALL

O RNAMENTS





Specification of Polyurethane Carved Scroll Leaf Onlays

Product	Wall Ornaments
Model Name	BB-OR 01R
Material	Polyurethane (PU)
Color	White
Dimension	Height:250mm × Width:150mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Carved Scroll Leaf Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Carved Scroll Leaf Onlays

Product	Wall Ornaments
Model Name	BB-OR 01L
Material	Polyurethane (PU)
Color	White
Dimension	Height:250mm × Width:150mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Carved Scroll Leaf Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Floral With Scroll Leaf Onlay

Product	Wall Ornaments
Model Name	BB-OR 02A
Material	Polyurethane (PU)
Color	White
Dimension	Height:635mm × Width:540mm × Depth:37mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Floral With Scroll Leaf Onlay



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Floral With Scroll Leaf Onlay

Product	Wall Ornaments
Model Name	BB-OR 02B
Material	Polyurethane (PU)
Color	White
Dimension	Height:400mm × Width:330mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Floral With Scroll Leaf Onlay



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Floral With Scroll Leaf Onlay

Product	Wall Ornaments
Model Name	BB-OR 02C
Material	Polyurethane (PU)
Color	White
Dimension	Height:225mm × Width:180mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Floral With Scroll Leaf Onlay



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 03
Material	Polyurethane (PU)
Color	White
Dimension	Height:725mm × Width:245mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 04A
Material	Polyurethane (PU)
Color	White
Dimension	Width:500mm × Height:380mm × Depth:32mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 04R
Material	Polyurethane (PU)
Color	White
Dimension	Height:365mm × Width:290mm × Depth:32mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique




Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 04L
Material	Polyurethane (PU)
Color	White
Dimension	Height:365mm × Width:290mm × Depth:32mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone



NEW



Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 07
Material	Polyurethane (PU)
Color	White
Dimension	Width:475mm × Height:230mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 08A
Material	Polyurethane (PU)
Color	White
Dimension	Width:480mm × Height:260mm × Depth:40mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 08B
Material	Polyurethane (PU)
Color	White
Dimension	Width:325mm × Height:145mm × Depth:9mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 09
Material	Polyurethane (PU)
Color	White
Dimension	Width:670mm × Height:290mm × Depth:35mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 10R
Material	Polyurethane (PU)
Color	White
Dimension	Height:100mm × Width:55mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 10L
Material	Polyurethane (PU)
Color	White
Dimension	Height:100mm × Width:55mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Ornamental Appliques And Onlays Molding

Product	Wall Ornaments
Model Name	BB-OR 11R
Material	Polyurethane (PU)
Color	White
Dimension	Width:520mm × Height:290mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Ornamental Appliques And Onlays Molding



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Ornamental Appliques And Onlays Molding

Product	Wall Ornaments
Model Name	BB-OR 11L
Material	Polyurethane (PU)
Color	White
Dimension	Width:520mm × Height:290mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Ornamental Appliques And Onlays Molding



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Floral With Scroll Leaf Onlay

Product	Wall Ornaments
Model Name	BB-OR 12
Material	Polyurethane (PU)
Color	White
Dimension	Width:670mm × Height:560mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Floral With Scroll Leaf Onlay



Hand Painted



Antique




Faux Wood



Faux Stone





Specification of Ornamental Appliques And Onlays Molding

Product	Wall Ornaments
Model Name	BB-OR 13
Material	Polyurethane (PU)
Color	White
Dimension	Width:540mm × Height:640mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Ornamental Appliques And Onlays Molding



Hand Painted



Antique




Faux Wood



Faux Stone





Specification of Polyurethane Wall Decor Molding

Product	Wall Ornaments
Model Name	BB-OR 14A
Material	Polyurethane (PU)
Color	White
Dimension	Width:320mm × Height:280mm × Depth:40mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Decor Molding



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Interior Wall Decor Applique

Product	Wall Ornaments
Model Name	BB-OR 15R
Material	Polyurethane (PU)
Color	White
Dimension	Width:298mm × Height:165mm × Depth:30mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Interior Wall Decor Applique



Hand Painted



Antique




Faux Wood



Faux Stone





Specification of Polyurethane Interior Wall Decor Applique

Product	Wall Ornaments
Model Name	BB-OR 15L
Material	Polyurethane (PU)
Color	White
Dimension	Width:298mm × Height:165mm × Depth:30mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Interior Wall Decor Applique



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments	Price مبلغ هر عدد	Made in ساخت
Model Name	BB-OR 20	1,130,000 T	Iran
Material	Polyurethane (PU)		
Color	White		
Dimension	Width:565mm × Height:450mm × Depth:30mm		
Application	Interior and Exterior		

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Large Polyurethane Wall Art Appliques

Product	Wall Ornaments
Model Name	BB-OR 22
Material	Polyurethane (PU)
Color	White
Dimension	Width:798mm × Height:360mm × Depth:50mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Large Polyurethane Wall Art Appliques



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Large Wall Sculptures Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 25
Material	Polyurethane (PU)
Color	White
Dimension	Width:821mm × Height:228mm × Depth:44mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Large Wall Sculptures Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Large Rose Centers With Scroll Leaf Onlays

Product	Wall Ornaments
Model Name	BB-OR 28
Material	Polyurethane (PU)
Color	White
Dimension	Width:894mm × Height:318mm × Depth:57mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Large Rose Centers With Scroll Leaf Onlays



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 32
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:272mm × Depth:30mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Large scroll center with scrolls onlays

Product	Wall Ornaments
Model Name	BB-OR 34
Material	Polyurethane (PU)
Color	White
Dimension	Width:609mm × Height:190mm × Depth:55mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Large scroll center with scrolls onlays



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 35
Material	Polyurethane (PU)
Color	White
Dimension	Width:290mm × Height:155mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Ornamental Set Wall Decor

Product	Wall Ornaments
Model Name	BB-OR(SET) 45
Material	Polyurethane (PU)
Color	White
Dimension	Height:1520mm × Width:600mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Set Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone






BB-OR 45 L
H:330 × W:170 mm × D:19 mm
BB-OR 45 R
H:330 × W:170 mm × D:19 mm



BB-OR 45 A
H:550 × W:420 mm × D:22 mm



BB-OR 45 B
H:380 × W:380 mm × D:22 mm



BB-OR 45 C
H:200 × W:200 mm × D:19 mm

Model Name: BB-OR(SET) 45

Dimension: Height:1520 × Width:600 mm × Depth:22mm



Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 45A
Material	Polyurethane (PU)
Color	White
Dimension	Height:550mm × Width:420mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 45B
Material	Polyurethane (PU)
Color	White
Dimension	Height:380mm × Width:380mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 45C
Material	Polyurethane (PU)
Color	White
Dimension	Height:200mm × Width:200mm × Depth:19mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 45R
Material	Polyurethane (PU)
Color	White
Dimension	Height:330mm × Width:170mm × Depth:19mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Ornamental Wall Decor

Product	Wall Ornaments
Model Name	BB-OR 45L
Material	Polyurethane (PU)
Color	White
Dimension	Height:330mm × Width:170mm × Depth:19mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Ornamental Wall Decor



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 47A
Material	Polyurethane (PU)
Color	White
Dimension	Width:1000mm × Height:200mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 47B
Material	Polyurethane (PU)
Color	White
Dimension	Width:775mm × Height:140mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 47C
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:115mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 47D
Material	Polyurethane (PU)
Color	White
Dimension	Width:400mm × Height:75mm × Depth:7mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 48A
Material	Polyurethane (PU)
Color	White
Dimension	Width:800mm × Height:190mm × Depth:18mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 48B
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:150mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 49A
Material	Polyurethane (PU)
Color	White
Dimension	Width:800mm × Height:290mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 49B
Material	Polyurethane (PU)
Color	White
Dimension	Height:590mm × Width:220mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Large Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 50
Material	Polyurethane (PU)
Color	White
Dimension	Width:200mm × Height:150mm × Depth:35mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Large Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Large Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 51
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:165mm × Depth:35mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Large Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 52A
Material	Polyurethane (PU)
Color	White
Dimension	Width:290mm × Height:270mm × Depth:34mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 52B
Material	Polyurethane (PU)
Color	White
Dimension	Width:165mm × Height:150mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 53
Material	Polyurethane (PU)
Color	White
Dimension	Width:180mm × Height:165mm × Depth:35mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 54
Material	Polyurethane (PU)
Color	White
Dimension	Width:110mm × Height:155mm × Depth:24mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 55
Material	Polyurethane (PU)
Color	White
Dimension	Width:420mm × Height:330mm × Depth:19mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 56
Material	Polyurethane (PU)
Color	White
Dimension	Width:270mm × Height:370mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 57A
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:185mm × Depth:28mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 57B
Material	Polyurethane (PU)
Color	White
Dimension	Width:450mm × Height:135mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 59
Material	Polyurethane (PU)
Color	White
Dimension	Width:800mm × Height:295mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Large Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 60
Material	Polyurethane (PU)
Color	White
Dimension	Width:1300mm × Height:390mm × Depth:28mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Large Polyurethane Wall Art Ornaments



Hand Painted



Antique




Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 70
Material	Polyurethane (PU)
Color	White
Dimension	Width:330mm × Height:190mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 71
Material	Polyurethane (PU)
Color	White
Dimension	Width:585mm × Height:140mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 72L
Material	Polyurethane (PU)
Color	White
Dimension	Width:55mm × Height:265mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 72R
Material	Polyurethane (PU)
Color	White
Dimension	Width:55mm × Height:265mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 73
Material	Polyurethane (PU)
Color	White
Dimension	Width:480mm × Height:180mm × Depth:40mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 74L
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:350mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 74R
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:350mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 75L
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:200mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 75R
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:200mm × Depth:25mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 77
Material	Polyurethane (PU)
Color	White
Dimension	Width:190mm × Height:190mm × Depth:60mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 78
Material	Polyurethane (PU)
Color	White
Dimension	Width:190mm × Height:190mm × Depth:60mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 79A
Material	Polyurethane (PU)
Color	White
Dimension	Width:450mm × Height:240mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 79B
Material	Polyurethane (PU)
Color	White
Dimension	Width:260mm × Height:150mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 80
Material	Polyurethane (PU)
Color	White
Dimension	Height:365mm × Width:310mm × Depth:40mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 150R
Material	Polyurethane (PU)
Color	White
Dimension	Height:585mm × Width:530mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 150L
Material	Polyurethane (PU)
Color	White
Dimension	Height:585mm × Width:530mm × Depth:23mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 151L
Material	Polyurethane (PU)
Color	White
Dimension	Height:285mm × Width:160mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 151R
Material	Polyurethane (PU)
Color	White
Dimension	Height:285mm × Width:160mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 152
Material	Polyurethane (PU)
Color	White
Dimension	Width:394mm × Height:206mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





Specification of Polyurethane Decorative Appliques And Onlays

Product	Wall Ornaments
Model Name	BB-OR 200
Material	Polyurethane (PU)
Color	White
Dimension	Height:685mm × Width:625mm × Depth:38mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Appliques And Onlays



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Decorative Wall Art Applique

Product	Wall Ornaments
Model Name	BB-OR 17
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:300mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Art Applique



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Decorative Wall Art Applique

Product	Wall Ornaments
Model Name	BB-OR 19
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:150mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Decorative Wall Art Applique



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 61
Material	Polyurethane (PU)
Color	White
Dimension	Width:235mm × Height:400mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 62
Material	Polyurethane (PU)
Color	White
Dimension	Width:400mm × Height:210mm × Depth:17mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 63
Material	Polyurethane (PU)
Color	White
Dimension	Width:400mm × Height:390mm × Depth:18mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 64A
Material	Polyurethane (PU)
Color	White
Dimension	Width:400mm × Height:110mm × Depth:16mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 65A
Material	Polyurethane (PU)
Color	White
Dimension	Width:235mm × Height:390mm × Depth:16mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 64B
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:80mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 65B
Material	Polyurethane (PU)
Color	White
Dimension	Width:170mm × Height:310mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 64C
Material	Polyurethane (PU)
Color	White
Dimension	Width:240mm × Height:65mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 65C
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:255mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 66
Material	Polyurethane (PU)
Color	White
Dimension	Width:320mm × Height:280mm × Depth:26mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 67
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:260mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 68
Material	Polyurethane (PU)
Color	White
Dimension	Width:280mm × Height:270mm × Depth:21mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 69
Material	Polyurethane (PU)
Color	White
Dimension	Width:230mm × Height:280mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 81
Material	Polyurethane (PU)
Color	White
Dimension	Width:320mm × Height:225mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 82
Material	Polyurethane (PU)
Color	White
Dimension	Width:390mm × Height:260mm × Depth:22mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 83
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:300mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 84
Material	Polyurethane (PU)
Color	White
Dimension	Width:260mm × Height:70mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 85
Material	Polyurethane (PU)
Color	White
Dimension	Width:415mm × Height:260mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 86
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Height:60mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 87A
Material	Polyurethane (PU)
Color	White
Dimension	Width:420mm × Height:220mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 87B
Material	Polyurethane (PU)
Color	White
Dimension	Width:270mm × Height:145mm × Depth:9mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 87C
Material	Polyurethane (PU)
Color	White
Dimension	Width:200mm × Height:100mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 88
Material	Polyurethane (PU)
Color	White
Dimension	Width:280mm × Height:140mm × Depth:9mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 89
Material	Polyurethane (PU)
Color	White
Dimension	Width:170mm × Height:100mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments




Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 90R
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:170mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 90L
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:170mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91A-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:300mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91A-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:300mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91B-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:120mm × Height:250mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91B-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:120mm × Height:250mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91C-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:200mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91C-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:200mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91D-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:60mm × Height:120mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 91D-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:60mm × Height:120mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 92A-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Height:250mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 92A-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Height:250mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 92B-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:200mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 92B-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:200mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 93R
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Height:250mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 93L
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Height:250mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 94R
Material	Polyurethane (PU)
Color	White
Dimension	Width:90mm × Height:250mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 94L
Material	Polyurethane (PU)
Color	White
Dimension	Width:90mm × Height:250mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 95R
Material	Polyurethane (PU)
Color	White
Dimension	Width:70mm × Height:100mm × Depth:7mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 95L
Material	Polyurethane (PU)
Color	White
Dimension	Width:70mm × Height:100mm × Depth:7mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 96R
Material	Polyurethane (PU)
Color	White
Dimension	Width:50mm × Height:100mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 96L
Material	Polyurethane (PU)
Color	White
Dimension	Width:50mm × Height:100mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 97 A-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:145mm × Height:270mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 97 A-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:145mm × Height:270mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 97 B-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:195mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 97 B-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:195mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 97 C-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:65mm × Height:120mm × Depth:9mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 97 C-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:65mm × Height:120mm × Depth:9mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 98 R
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Height:150mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 98 L
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Height:150mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 99 A-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:170mm × Depth:17mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 99 A-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:170mm × Depth:17mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 99 B-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:140mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 99 B-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:140mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 99 C-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:75mm × Height:100mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 99 C-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:75mm × Height:100mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 100
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:60mm × Depth:7mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 101
Material	Polyurethane (PU)
Color	White
Dimension	Width:305mm × Height:65mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 102A
Material	Polyurethane (PU)
Color	White
Dimension	Width:750mm × Height:175mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 102B
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:140mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 102C
Material	Polyurethane (PU)
Color	White
Dimension	Width:500mm × Height:115mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 102D
Material	Polyurethane (PU)
Color	White
Dimension	Width:400mm × Height:90mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 102E
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:70mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 102F
Material	Polyurethane (PU)
Color	White
Dimension	Width:200mm × Height:50mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 103
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:120mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 104A
Material	Polyurethane (PU)
Color	White
Dimension	Width:400mm × Height:140mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 104B
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Height:120mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 104C
Material	Polyurethane (PU)
Color	White
Dimension	Width:180mm × Height:70mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 105
Material	Polyurethane (PU)
Color	White
Dimension	Width:800mm × Height:120mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 106A
Material	Polyurethane (PU)
Color	White
Dimension	Width:1000mm × Height:200mm × Depth:16mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 106B
Material	Polyurethane (PU)
Color	White
Dimension	Width:800mm × Height:160mm × Depth:16mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 106C
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Height:140mm × Depth:16mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 106D
Material	Polyurethane (PU)
Color	White
Dimension	Width:290mm × Height:70mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

NEW

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 108A
Material	Polyurethane (PU)
Color	White
Dimension	Width:370mm × Height:520mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

NEW

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 108B
Material	Polyurethane (PU)
Color	White
Dimension	Width:280mm × Height:390mm × Depth:18mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

NEW

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 108C
Material	Polyurethane (PU)
Color	White
Dimension	Width:180mm × Height:260mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

NEW

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 109A
Material	Polyurethane (PU)
Color	White
Dimension	Width:245mm × Height:230mm × Depth:19mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

NEW

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 109B
Material	Polyurethane (PU)
Color	White
Dimension	Width:220mm × Height:205mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

NEW

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 109C
Material	Polyurethane (PU)
Color	White
Dimension	Width:115mm × Height:110mm × Depth:9mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 110 R
Material	Polyurethane (PU)
Color	White
Dimension	Width:290mm × Height:100mm × Depth:18mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 110 L
Material	Polyurethane (PU)
Color	White
Dimension	Width:290mm × Height:100mm × Depth:18mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 111 A-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:125mm × Height:195mm × Depth:18mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 111 A-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:125mm × Height:195mm × Depth:18mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 111 B-R
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:125mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 111 B-L
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:125mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 112 R
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:200mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 112 L
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:200mm × Depth:15mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 130
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:100mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 131
Material	Polyurethane (PU)
Color	White
Dimension	Width:110mm × Height:145mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 132
Material	Polyurethane (PU)
Color	White
Dimension	Width:255mm × Height:150mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 133
Material	Polyurethane (PU)
Color	White
Dimension	Width:90mm × Height:65mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 134
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:80mm × Depth:11mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 135
Material	Polyurethane (PU)
Color	White
Dimension	Width:155mm × Height:115mm × Depth:20mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 136
Material	Polyurethane (PU)
Color	White
Dimension	Width:65mm × Height:65mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 137A
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:80mm × Depth:13mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted



Antique



Faux Wood



Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 137B
Material	Polyurethane (PU)
Color	White
Dimension	Width:55mm × Height:55mm × Depth:8mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 138
Material	Polyurethane (PU)
Color	White
Dimension	Width:145mm × Height:145mm × Depth:12mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 139A
Material	Polyurethane (PU)
Color	White
Dimension	Width:140mm × Height:140mm × Depth:14mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 139B
Material	Polyurethane (PU)
Color	White
Dimension	Width:120mm × Height:120mm × Depth:10mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 139C
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Height:100mm × Depth:9mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 139D
Material	Polyurethane (PU)
Color	White
Dimension	Width:80mm × Height:80mm × Depth:7mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





FLEXIBLE

Specification of Polyurethane Wall Art Ornaments

Product	Wall Ornaments
Model Name	BB-OR 139E
Material	Polyurethane (PU)
Color	White
Dimension	Width:60mm × Height:60mm × Depth:6mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.

Finish of Polyurethane Wall Art Ornaments



Hand Painted

Antique

Faux Wood

Faux Stone





COLUMN





Specification of Polyurethane Half Column Capital

Product	Column
Model Name	BB-C 212C
Material	Polyurethane (PU)
Color	White
Dimension	Width:190mm × Depth:205mm × Height:94mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



NEW



Specification of Polyurethane Half Columns

Product	Column
Model Name	BB-C 212
Material	Polyurethane (PU)
Color	White
Dimension	Diameter:Ø120mm × Height:2000mm × Depth:60mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.





Specification of Polyurethane Half Column Base

Product	Column
Model Name	BB-C 212B
Material	Polyurethane (PU)
Color	White
Dimension	Width:155mm × Height:295mm × Depth:74mm
Application	Interior and Exterior


PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



NEW



BB-C 212
Diameter: Ø120mm
Height: 2000mm
Depth: 60mm



BB-C 212C
Width: 190mm
Height: 205mm
Depth: 94mm



BB-C 212B
Width: 155mm
Height: 295mm
Depth: 74mm




Specification of Polyurethane Ionic Roman Column Capital

Product	Column
Model Name	BB-C 200C
Material	Polyurethane (PU)
Color	White
Dimension	Width:320mm × Depth:320mm × Height:220mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



NEW



Specification of Polyurethane Simple Architecture Columns

Product	Column
Model Name	BB-C 200
Material	Polyurethane (PU)
Color	White
Dimension	Diameter:Ø200mm × Height:2400mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



H: Height
D: Diameter (Ø)





Specification of Polyurethane Architectural Simple Column Base



Product	Column
Model Name	BB-C 200B
Material	Polyurethane (PU)
Color	White
Dimension	Width:Ø320mm × Height:160mm
Application	Interior and Exterior

PU Material


The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






BB-C 200
Diameter:Ø200mm × Height:2400mm



BB-C 200C
Width:320mm × Depth:320mm × Height:220mm



BB-C 200B
Width:Ø320mm × Height:160mm




Specification of Polyurethane Ionic Roman Column Capital

Product	Column
Model Name	BB-C 300C
Material	Polyurethane (PU)
Color	White
Dimension	Width:600mm × Depth:600mm × Height:500mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



H: Height
W: Width
D: Depth



NEW



Specification of Polyurethane Simple Architecture Columns

Product	Column
Model Name	BB-C 300
Material	Polyurethane (PU)
Color	White
Dimension	Diameter:Ø300mm × Height:2400mm
Application	Interior and Exterior

PU Material



The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



H: Height
D: Diameter (Ø)





Specification of Polyurethane Architectural Simple Column Base



Product	Column
Model Name	BB-C 300B
Material	Polyurethane (PU)
Color	White
Dimension	Width:Ø450mm × Height:320mm
Application	Interior and Exterior

PU Material


The density of PU materials is up to 240KG/M³, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.







BB-C 300
Diameter:Ø300mm × Height:2400mm



BB-C 300C
Width:600mm × Depth:600mm × Height:500mm



BB-C 300B
Width:Ø450mm × Height:320mm




Specification of Polyurethane Ionic Roman Column Capital

Product	Column
Model Name	BB-C 400C
Material	Polyurethane (PU)
Color	White
Dimension	Width:700mm × Depth:700mm × Height:600mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



NEW



Specification of Polyurethane Simple Architecture Columns

Product	Column
Model Name	BB-C 400
Material	Polyurethane (PU)
Color	White
Dimension	Diameter:Ø400mm × Height:2400mm
Application	Interior and Exterior

PU Material



The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



H: Height
D: Diameter (Ø)





Specification of Polyurethane Architectural Simple Column Base


Product	Column
Model Name	BB-C 400B
Material	Polyurethane (PU)
Color	White
Dimension	Width:Ø650mm × Height:400mm
Application	Interior and Exterior

PU Material


The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






BB-C 400
Diameter:Ø400mm × Height:2400mm



BB-C 400C
Width:700mm × Depth:700mm × Height:600mm



BB-C 400B
Width:Ø650mm × Height:400mm



PILASTERS






Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 210C
Material	Polyurethane (PU)
Color	White
Dimension	Width:170mm × Depth:45mm × Height:145mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 210D
Material	Polyurethane (PU)
Color	White
Dimension	Width:175mm × Depth:40mm × Height:155mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Decorative Architectural Corbels And Brackets

Product	Corbels & Brackets
Model Name	BB-CB 20
Material	Polyurethane (PU)
Color	White
Dimension	Width:99mm × Depth:27mm × Height:200mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






Specification of Polyurethane Fluted Column Pilaster Molding

Product	Pilaster
Model Name	BB-P 210
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Depth:20mm × Height:1980mm
Application	Interior and Exterior

PU Material


The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Architectural Plinth For Pilaster

Product	Pilaster
Model Name	BB-P 210B
Material	Polyurethane (PU)
Color	White
Dimension	Width:100mm × Depth:26mm × Height:245mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 215C
Material	Polyurethane (PU)
Color	White
Dimension	Width:200mm × Depth:55mm × Height:160mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 215E
Material	Polyurethane (PU)
Color	White
Dimension	Width:245mm × Depth:43mm × Height:248mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Decorative Architectural Corbels And Brackets

Product	Corbels & Brackets
Model Name	BB-CB 21
Material	Polyurethane (PU)
Color	White
Dimension	Width:147mm × Depth:27mm × Height:247mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






Specification of Polyurethane Fluted Column Pilaster Molding

Product	Pilaster
Model Name	BB-P 215
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Depth:24mm × Height:2000mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Architectural Plinth For Pilaster

Product	Pilaster
Model Name	BB-P 215B
Material	Polyurethane (PU)
Color	White
Dimension	Width:150mm × Depth:30mm × Height:375mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 220A
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Depth:75mm × Height:170mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height





Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 220C
Material	Polyurethane (PU)
Color	White
Dimension	Width:300mm × Depth:75mm × Height:190mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 220D
Material	Polyurethane (PU)
Color	White
Dimension	Width:275mm × Depth:50mm × Height:250mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height





Specification of Polyurethane Egg And Dart Ionic Capital

Product	Pilaster
Model Name	BB-P 270
Material	Polyurethane (PU)
Color	White
Dimension	Width:260mm × Depth:40mm × Height:70mm
Application	Interior and Exterior

PU Material


The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Fluted Column Pilaster Molding

Product	Pilaster
Model Name	BB-P 220
Material	Polyurethane (PU)
Color	White
Dimension	Width:200mm × Depth:19mm × Height:2200mm
Application	Interior and Exterior

PU Material


The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Architectural Plinth For Pilaster

Product	Pilaster
Model Name	BB-P 220B
Material	Polyurethane (PU)
Color	White
Dimension	Width:200mm × Depth:30mm × Height:485mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M³, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






Specification of Polyurethane Architectural Plinth For Pilaster

Product	Pilaster
Model Name	BB-P 232
Material	Polyurethane (PU)
Color	White
Dimension	Width:287mm × Depth:60mm × Height:641mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.





Specification of Polyurethane Carved Capitals For Pilaster

Product	Pilaster
Model Name	BB-P 224C
Material	Polyurethane (PU)
Color	White
Dimension	Width:420mm × Depth:150mm × Height:300mm
Application	Interior and Exterior

PU Material


The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Fluted Column Pilaster Molding

Product	Pilaster
Model Name	BB-P 224
Material	Polyurethane (PU)
Color	White
Dimension	Width:240mm × Depth:55mm × Height:2000mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Decorative Plinths For Pilaster

Product	Pilaster
Model Name	BB-P 224B
Material	Polyurethane (PU)
Color	White
Dimension	Width:280mm × Depth:45mm × Height:450mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






Specification of Polyurethane Victorian Pilasters

Product	Pilaster
Model Name	BB-P 260
Material	Polyurethane (PU)
Color	White
Dimension	Width:240mm × Depth:50mm × Height:1980mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.



D: Depth
W: Width
H: Height






Specification of Polyurethane Decorative Plinths For Pilaster

Product	Pilaster
Model Name	BB-P 253
Material	Polyurethane (PU)
Color	White
Dimension	Width:280mm × Depth:50mm × Height:640mm
Application	Interior and Exterior

PU Material

The density of PU materials is up to 240KG/M3, lighter than wood, but same hardness and touch feeling. It is pest control, termites and moths do not feed on PU materials.

Fire rating to achieve the national B2 level, mean burning under the flame for 10s will not burn.






INSTALLATION



5 Inner corner




5 Outer corner







Stop mitre



FDP600
4200ml
65 - 110m

FDP500
310ml
7 - 8m



BORN BORJ D E C O R

(+98) 21 - 26 15 23 60

(+98) 21 - 26 15 27 74

(+98) 912 - 412 30 66

WWW.BORNABORJ.COM



@BORNABORJ.PU

@BORNABORJ